

EL[®]MARK

The Brand of Electricity

LED CANDLE LAMPS E27



Technical data:

- Rated voltage: 230V; 50-60Hz
- Power: 8W;
- Colour temperature: 2700K; 3000K; 4000K; 6400K
- LED type: SMD2835;
- Lamp holder: E27
- Beam angle: 180°;
- Colour rendering index: Ra≥80
- Number of switching cycles: >20 000
- Average life: 30 000h
- Power factor: $\lambda > 0.80$
- Starting time: < 0.50s
- Warm-up time (60 %): Instant
- Lamp mercury content: 0.0mg
- Protection degree: IP20

Features:

- Reduced operational cost thanks to lower energy consumption.
- Lower maintenance cost thanks to longer lifetime
- Mercury free.
- Maximum resistance to switching loads.
- Correct operation even at low temperature.
- Long lifetime.
- Instant-on light.

Area of application:

- General illumination
- Domestic applications
- Chandeliers
- Outdoor applications only in suitable luminaires


TECHNICAL SPECIFICATION

LAMPS AND COMPONENTS


ELMARK[®]

The Brand of Electricity

Variants and Dimensions:



Watt	Dimmable	Lamp holder	LED lamp lumens	Colour temp.	Beam angle	Size (mm)		Catalogue number
						Length	Diameter	
(W)			(lm)	(K)				
8	-	E27	800	4000	180°	110	37	99LED914
8	-	E27	800	2700	180°	110	37	99LED915



EN 55015 • EN 61000-3-2 • EN 61000-3-3 • EN 61547 • EN 62560 • EN 13032-4 • EN 50581:2012

CE RoHS COMPLIANT

www.elmarkholding.eu